



### Bajgan Sanitary Ware 2024 Best Collections





# Table of Content

- 04. About us
- 06. Forward-Thinking Design
- 08. SHARK
- 10. RAY
- 12. WHALE
- 14. ANGLE
- 16. FIGHTER
- 18. CORAL
- 20. SHELL
- 22. Advantages

## ABOUT US


BAJGAN: Pioneers in Bathroom Elegance At BAJGAN, we are renowned for our exquisite range of bathroom fixtures that redefine comfort and elegance.

Our expertise lies in producing an elite selection of sitting toilets, wall-hung toilets, washbasins, and washing faucets. Each product is a testament to our commitment to reliability, functionality, and impeccable craftsmanship.

Innovation is at the heart of our operations, guiding us to offer products that not only meet but exceed customer expectations.

#### Contact:

Address: Bafq Industrial Town, Bafq, Yazd


















#### Forward-Thinking Design

Our relentless pursuit of cutting-edge design and technology positions us at the forefront of the bathroom industry. At BAJGAN, we are dedicated to introducing the latest advancements in bathroom solutions, ensuring that each product is both aesthetically pleasing and functionally superior





#### SHARK

#### One Pices Toilet Wash down

Code211Lenght650 mmWidth367 mmHeight740 mmS-trap size200 mmWeight49±0.3





#### RAY

#### One Pices Toilet Wash down

Code212Lenght640 mmWidth357 mmHeight690 mmS-trap size200 mmWeight45±0.3





#### WHALE

#### One Pices Toilet Wash down

Code213Lenght655 mmWidth360 mmHeight755 mmS-trap size200 mmWeight52±0.3





### ANGLE

#### One Pices Toilet Wash down

Code 212 Lenght 680 mm

Width 380 mm Height 770 mm

S-trap size 220 mm

Weight 55±0.5





#### FIGHTER

#### One Pices Toilet Wash down

Code213Lenght680 mmWidth380 mmHeight760 mmS-trap size220 mmWeight60±0.5





#### CORAL

#### One Pices Toilet Wash down

**Code** 211

Lenght 510 mm

Width 356 mm

Height 260 mm

S-trap size 230 mm

Weight 24





#### SHELL

#### One Pices Toilet Wash down

Code211Lenght650 mmWidth367 mmHeight740 mmS-trap size200 mmWeight0.3±49



